

# sgapiMDecrypt

## Important Update to Custom Scripting

SurveyGizmo's CustomScript Action now supports the LUA programming language. Visit our [NEW Lua Scripting Resources!](#)

### Legacy Custom Scripting Language Deprecation Plans

1. New accounts (created after October 29, 2018) will only have the option to use Lua in scripts.
2. As of October 29, 2018 Custom Scripting Actions will default to Lua as the scripting type in the Custom Scripting Action for accounts created before this date. You will be able to switch to the Legacy Custom Scripting; though we highly encourage using Lua.
3. In the long term, Legacy Custom Scripting Actions will be switched to read-only. The exact date on this is to be determined; we will send notifications well ahead of time.

## Warning!

We highly discourage use of this feature going forward as this has been deprecated in PHP. You will not be able to decrypt data encrypted through this method in the future. [Learn more.](#)

This is equivalent to [mdecrypt\\_generic](#) in PHP. This function encrypts data.

The following parameters are supported in the sgapiMDecrypt implementation of mdecrypt.

|        |  |        |
|--------|--|--------|
| %%text | The text you wish to encrypt.  | string |
| %%key  | Your encryption key.   | string |
| %%iv   | Seed. Not required, default is ''.   | string |
| %%alg  | The encryption algorithm you wish to use. Not required, default is 'gost'. | string |

*To see an example or learn more other PHP functions and PHP programming, visit [PHP Documentation](#).*

Author: Bri Hillmer    Share This Article:    Last updated: 12/20/2018 1:17 pm EST